

navigo

8VS

Open FiberglassTenders



S P E C S

Overall Length	: 8'6" / 2.60m	Number of Chambers	: 3 + 1	Shaft Length	: 15" / 38.1cm
Overall Beam	: 5'4" / 1.64m	Person Capacity	: 4	RDC Design Category	: C
Inside Length	: 5'10" / 1.79m	Weight	: 125lb / 57kg		
Inside Beam	: 2'4" / 0.72m	Recommended HP	: 8hp / 6.0kw		
Tube Diameter	: 16" / 0.40m	Maximum HP	: 10hp / 7.5kw		

**S T A N D A R D
F E A T U R E S**

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Bow Locker/ Seat
- Diamond Shape Non - Skid Deck
- Plastic External Transom Plate
- Aluminum Internal Transom Plate with Security Lip
- Orca (CSM) Five Layer Coated Fabric
- 3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Raised Double Rub Rail
- Stainless Steel Bow Eye
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Towing Rings & Tie Downs
- Deck Condensation Plug
- Deck Drain with Plug
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes
- 3 Layer Reinforced Seams
- Oarlock Bases
- Telescopic Oars with Aluminum Shaft
- Paddle Holders
- Removable Rowing Seat
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Additional Air Retaining Chamber Under the Floor

**O P T I O N A L
F E A T U R E S**

- Bow Hatch Cushion
- Tube Chaps
- Boat Cover
- Chock Set
- Bow Step with Fold Down Stainless Steel Cleat
- Lateral Fold Down Stainless Steel Cleat





A B I N F L A T A B L E S

navigo

9VS

Open Fiberglass Tenders



S P E C S

Overall Length	: 9'6" / 2.90m	Number of Chambers	: 3 + 1	Shaft Length	: 15" / 38.1cm
Overall Beam	: 5'7" / 1.72m	Person Capacity	: 4	RDC Design Category	: C
Inside Length	: 6'9" / 2.06m	Weight	: 143lb / 65kg		
Inside Beam	: 2'8" / 0.81m	Recommended HP	: 9.9hp / 7.4kw		
Tube Diameter	: 17" / 0.43m	Maximum HP	: 15hp / 11.2kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Bow Locker/ Seat
- Diamond Shape Non - Skid Deck
- Plastic External Transom Plate
- Aluminum Internal Transom Plate with Security Lip
- Orca (CSM) Five Layer Coated Fabric
- 3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Raised Double Rub Rail
- Stainless Steel Bow Eye
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Towing Rings & Tie Downs
- Deck Condensation Plug
- Deck Drain with Plug
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes
- 3 Layer Reinforced Seams
- Oarlock Bases
- Telescopic Oars with Aluminum Shaft
- Paddle Holders
- Removable Rowing Seat
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Additional Air Retaining Chamber Under the Floor

O P T I O N A L
F E A T U R E S

- Bow Hatch Cushion
- Tube Chaps
- Boat Cover
- Chock Set
- Bow Step with Fold Down Stainless Steel Cleat
- Lateral Fold Down Stainless Steel Cleat
- Removable Stern Seat
- Bimini Top



www.abinflatables.com



A B I N F L A T A B L E S

navigo | 10VS | Open Fiberglass Tenders



S P E C S	Overall Length : 10'6" / 3.19m	Number of Chambers : 3 + 1	Shaft Length : 15" / 38.1cm
	Overall Beam : 5'7" / 1.72m	Person Capacity : 5	RDC Design Category : C
	Inside Length : 7'7" / 2.31m	Weight : 169lb / 77kg	
	Inside Beam : 2'8" / 0.81m	Recommended HP : 15hp / 11.2kw	
	Tube Diameter : 17" / 0.43m	Maximum HP : 25hp / 18.7kw	

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Bow Locker/ Seat ■ Diamond Shape Non - Skid Deck ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate with Security Lip ■ Orca (CSM) Five Layer Coated Fabric ■ 3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Raised Double Rub Rail ■ Stainless Steel Bow Eye 	<ul style="list-style-type: none"> ■ 4 Stainless Steel Davit Lifting Points ■ Stainless Steel Towing Rings & Tie Downs ■ Deck Condensation Plug ■ Deck Drain with Plug ■ 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes ■ 3 Layer Reinforced Seams ■ Oarlock Bases 	<ul style="list-style-type: none"> ■ Telescopic Oars with Aluminum Shaft ■ Paddle Holders ■ Removable Rowing Seat ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual ■ Additional Air Retaining Chamber Under the Floor
------------------------------------	---	---	--

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none"> ■ Bow Hatch Cushion ■ Tube Chaps ■ Boat Cover ■ Chock Set ■ Bow Step with Fold Down Stainless Steel Cleat ■ Lateral Fold Down Stainless Steel Cleat 	<ul style="list-style-type: none"> ■ Removable Stern Seat ■ Bimini Top ■ Fiberglass Console ■ Bench Seat with Storage ■ Two person Jockey Seat ■ Stainless Steel Helm Unit
------------------------------------	--	--



www.abinflatables.com

navigo | **12VS** | **Open FiberglassTenders**



S P E C S	Overall Length : 12' / 3.66m	Number of Chambers : 3 + 1	Shaft Length Option 1 : 15" / 38.1cm
	Overall Beam : 6' / 1.82m	Person Capacity : 6	Shaft Length Option 2 : 20" / 50.8cm
	Inside Length : 8'9" / 2.67m	Weight : 198lb / 90kg	RDC Design Category : C
	Inside Beam : 2'9" / 0.84m	Recommended HP : 20hp / 14.9kw	
	Tube Diameter : 18" / 0.46m	Maximum HP : 30hp / 22.4kw	

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Bow Locker/ Seat ■ Diamond Shape Non - Skid Deck ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate with Security Lip ■ Orca (CSM) Five Layer Coated Fabric ■ 3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Raised Double Rub Rail ■ Stainless Steel Bow Eye 	<ul style="list-style-type: none"> ■ 4 Stainless Steel Davit Lifting Points ■ Stainless Steel Towing Rings & Tie Downs ■ Deck Condensation Plug ■ Deck Drain with Plug ■ 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes ■ 3 Layer Reinforced Seams ■ Paddle with Aluminum Shaft 	<ul style="list-style-type: none"> ■ Paddle Holders ■ Removable Stern Seat ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual ■ Additional Air Retaining Chamber Under the Floor
--	---	--	--

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none"> ■ Bow Hatch Cushion ■ Tube Chaps ■ Boat Cover ■ Chock Set ■ Bow Step with Fold Down Stainless Steel Cleat ■ Lateral Fold Down Stainless Steel Cleat 	<ul style="list-style-type: none"> ■ Removable Rowing Seat ■ Bimini Top ■ Fiberglass Console ■ Fiberglass Console with Forward Seat ■ Bench Seat with Storage ■ Two person Jockey Seat ■ Stainless Steel Helm Unit
--	--	---





A B I N F L A T A B L E S

navigo

13VS

Open FiberglassTenders



S P E C S

Overall Length	: 13' / 3.96m	Number of Chambers	: 3 + 1	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6'4" / 1.94m	Person Capacity	: 7	RDC Design Category	: C
Inside Length	: 9'9" / 2.97m	Weight	: 293lb / 133kg		
Inside Beam	: 3'1" / 0.94m	Recommended HP	: 30hp / 22.4kw		
Tube Diameter	: 18" / 0.46m	Maximum HP	: 40hp / 29.8kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Bow Locker/ Seat
- Diamond Shape Non - Skid Deck
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Orca (CSM) Five Layer Coated Fabric
- 3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Raised Double Rub Rail
- Stainless Steel Bow Eye
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Towing Rings & Tie Downs
- Deck Condensation Plug
- Deck Drain with Plug
- 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes
- 3 Layer Reinforced Seams
- Paddle with Aluminum Shaft
- Paddle Holders
- Removable Stern Seat
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Additional Air Retaining Chamber Under the Floor

O P T I O N A L
F E A T U R E S

- Bow Hatch Cushion
- Boat Cover
- Chock Set
- Bow Step with Fold Down Stainless Steel Cleat
- Lateral Fold Down Stainless Steel Cleat
- Removable Rowing Seat
- Bimini Top
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Bench Seat with Storage
- Two person Jockey Seat
- Stainless Steel Helm Unit



www.abinflatables.com



S P E C S	Overall Length : 14' / 4.27m	Number of Chambers : 4 + 1	Shaft Length : 20" / 50.8cm
	Overall Beam : 6'4" / 1.94m	Person Capacity : 8	RDC Design Category : C
	Inside Length : 10'10" / 3.30m	Weight : 348lb / 158kg	
	Inside Beam : 3'1" / 0.94m	Recommended HP : 40hp / 29.8kw	
	Tube Diameter : 19" / 0.48m	Maximum HP : 50hp / 37.3kw	

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Bow Locker/ Seat ■ Diamond Shape Non - Skid Deck ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Orca (CSM) Five Layer Coated Fabric ■ 4 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Raised Double Rub Rail ■ Stainless Steel Bow Eye 	<ul style="list-style-type: none"> ■ 4 Stainless Steel Davit Lifting Points ■ Stainless Steel Towing Rings & Tie Downs ■ Deck Condensation Plug ■ Deck Drain with Plug ■ 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Bow Sets of 3 Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes ■ 3 Layer Reinforced Seams ■ Paddle with Aluminum Shaft ■ Paddle Holders 	<ul style="list-style-type: none"> ■ Removable Stern Seat ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual ■ Additional Air Retaining Chamber Under the Floor
------------------------------------	---	--	--

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none"> ■ Bow Hatch Cushion ■ Boat Cover ■ Chock Set ■ Bow Step with Fold Down Stainless Steel Cleat ■ Lateral Fold Down Stainless Steel Cleat ■ Removable Rowing Seat 	<ul style="list-style-type: none"> ■ Bimini Top ■ Fiberglass Console ■ Fiberglass Console with Forward Seat ■ Bench Seat with Storage ■ Two person Jockey Seat ■ Stainless Steel Helm Unit
------------------------------------	---	--

